

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(interpolat\$5 or map\$5) with (color or colour) adj2 space with (only or few) adj5 lattice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:00
L2	0	(interpolat\$5 or map\$5) with (color or colour) adj2 space with (only or few) adj5 vertices	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:58
L3	1	(interpolat\$5 or map\$5) with (color or colour) adj2 space with (two or "2") adj5 lattice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:01
L4	7	(interpolat\$5 or map\$5) with (color or colour) adj2 space with (three or "3") adj5 lattice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:07
L5	0	(interpolat\$5 or map\$5) with (color or colour) adj2 space with face near3 tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:07
L6	0	(interpolat\$5 or map\$5) with (color or colour) adj2 space same face near3 tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:07
L7	1	(interpolat\$5 or map\$5) with (color or colour) same face near3 tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:08
L8	18	(interpolat\$5 or map\$5) with (color or colour) and face near3 tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:24

L9	82	("4075663"   "4275413"   "4334240"   "4350996"   "4456924"   "4462083"   "4463374"   "4464677"   "4468693"   "4477833"   "4500919"   "4511989"   "4561016"   "4639770"   "4670780"   "4717954"   "4729098"   "4751742"   "4758885"   "4780756"   "4805013"   "4829587"   "4837613"   "4837722"   "4839721"   "4839722"   "4862255"   "4864357"   "4876509"   "4879594"   "4893181"   "4894794"   "4901258"   "4941038"   "4941039"   "4945500"   "4959711"   "4972329"   "4974069"   "4992861"   "4992862"   "5001651"   "5025404"   "5025405"   "5054097"   "5055923"   "5065234"   "5072305"   "5077604"   "5097518"   "5101283"   "5111286"   "5222202"   "5241373").PN. OR ("5390035").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/21 11:23
L10	23162	(interpolat\$5 or map\$5) with (color or colour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:24
L11	484	face near3 tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:24
L12	56	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:24
L13	2	9 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:24
L14	50875	tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:24

L15	18	14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:26
L16	24	("4460924"   "4857927"   "4941038"   "5121196"   "5185661"   "5200816"   "5208871"   "5233412"   "5285297"   "5311332"   "5317426"   "5321797"   "5351048"   "5363218"   "5424755"   "5428465"   "5436739"   "5497154"   "5577136"   "5627916"   "5664072"   "5764795"   "5777599").PN. OR ("6415065"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/21 11:28
L17	0	16 and 11	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/21 11:28
L18	4	16 and 10 and 14	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/21 11:28

	Hits	Search Text	DBs
1	735	colo\$1r adj1 mapping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	35469	tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	56195	interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	24	(colo\$1r adj1 mapping) and tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	408	tetrahedron and interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	2367	"24" adj1 bit with (RGB or color)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	14	((tetrahedron and interpolation) and ("24" adj1 bit with (RGB or color)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	295	colo\$1r and (tetrahedron and interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	115	tetrahedron same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	77	colo\$1r same (tetrahedron same interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	2	((colo\$1r adj1 mapping) and tetrahedron ) and ((tetrahedron and interpolation) and ("24" adj1 bit with (RGB or color)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	22	((colo\$1r adj1 mapping) and tetrahedron ) not (((colo\$1r adj1 mapping) and tetrahedron ) and ((tetrahedron and interpolation) and ("24" adj1 bit with (RGB or color))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	12	((tetrahedron and interpolation) and ("24" adj1 bit with (RGB or color))) not ((colo\$1r adj1 mapping) and tetrahedron ) not (((colo\$1r adj1 mapping) and tetrahedron ) and ((tetrahedron and interpolation) and ("24" adj1 bit with (RGB or color))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	59	(colo\$1r same (tetrahedron same interpolation)) not ((tetrahedron and interpolation) and ("24" adj1 bit with (RGB or color))) not ((colo\$1r adj1 mapping) and tetrahedron ) not (((colo\$1r adj1 mapping) and tetrahedron ) and ((tetrahedron and interpolation) and ("24" adj1 bit with (RGB or color))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	50	tetrahedron near3 interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	94	tetrahedron with interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	106932	weight\$2 with volume	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
18	5	((tetrahedron with interpolation) and (weight\$2 with volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	83198	weight\$2 with area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	7	((tetrahedron with interpolation) and (weight\$2 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	1	((tetrahedron with interpolation) and (weight\$2 with volume)) and ((tetrahedron with interpolation) and (weight\$2 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	2	("3875587"   "3893166").PN.	USPAT
23	87	"4275413".URPN.	USPAT
24	19342	point near2 face	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	7	((tetrahedron with interpolation) and (point near2 face))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	408	tetrahedron and interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	27	((point near2 face) and (tetrahedron and interpolation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	20	((point near2 face) and (tetrahedron and interpolation)) not ((tetrahedron with interpolation) and (point near2 face))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	2	point near2 face adj1 tetrahedron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	123856	point near2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	87	((point near2 line) and (tetrahedron and interpolation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	23	((point near2 line) and (tetrahedron with interpolation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	20	tetrahedron adj1 interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	246	((tetrahedron and interpolation) and volume and area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	115	tetrahedron same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	35	((tetrahedron and interpolation) and volume and area) and (tetrahedron same interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	115	tetrahedron same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
38	40067	power adj2 "2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	8	(tetrahedron same interpolation) and (power adj2 "2" )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	2	("4275413").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	15	computer and computer near2 medium and (tetrahedron same interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	2659	"36" adj1 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	0	("36" adj1 bit) and (tetrahedron same interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	407	("36" adj1 bit) and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	51	("36" adj1 bit) and color adj1 (mapping or conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	223	"12" adj1 bit with (RGB or red or green)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	214	("12" adj1 bit with (RGB or red or green)) and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	31	("36" adj1 bit) and ("12" adj1 bit with (RGB or red or green))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	15	((("36" adj1 bit) and color adj1 (mapping or conver\$4)) and ((("36" adj1 bit) and ("12" adj1 bit with (RGB or red or green))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	35	("12" adj1 bit with (RGB or red or green)) and color adj1 (mapping or conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	2257	"12" adj1 bit with "8" adj1 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	75	("12" adj1 bit with "8" adj1 bit) and color adj1 (mapping or conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	421835	(close or "near") near2 (line or edge or face or surface or point or vertex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	1	((("12" adj1 bit with "8" adj1 bit) and color adj1 (mapping or conver\$4)) and (tetrahedron same interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	1	tetrahedron and ((("12" adj1 bit with "8" adj1 bit) and color adj1 (mapping or conver\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
56	23	((tetrahedron same interpolation) and ((close or "near") near2 (line or edge or face or surface or point or vertex) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	133782	within with range with (line or edge or face or surface or point or vertex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	13	((tetrahedron same interpolation) and (within with range with (line or edge or face or surface or point or vertex) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	630	tetrahedron and interpolat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	122876	(point or lattice) near3 ( edge or face)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	250719	(point or lattice) near3 (line or plane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	46588	(look-up or lookup) adj2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	86	((tetrahedron and interpolat\$4) and ((point or lattice) near3 ( edge or face))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	193	((tetrahedron and interpolat\$4) and ((point or lattice) near3 (line or plane))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	104	((tetrahedron and interpolat\$4) and ((look-up or lookup) adj2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	19	((tetrahedron and interpolat\$4) and ((point or lattice) near3 ( edge or face))) and (read\$4 or access\$4) adj7 (point or lattice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	40	((tetrahedron and interpolat\$4) and ((point or lattice) near3 (line or plane))) and (read\$4 or access\$4) adj7 (point or lattice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	24	((tetrahedron and interpolat\$4) and ((look-up or lookup) adj2 table)) and (read\$4 or access\$4) adj7 (point or lattice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	6	((((tetrahedron and interpolat\$4) and ((point or lattice) near3 ( edge or face))) and (read\$4 or access\$4) adj7 (point or lattice)) and (((tetrahedron and interpolat\$4) and ((look-up or lookup) adj2 table)) and (read\$4 or access\$4) adj7 (point or lattice)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	3842256	@ad>"19990319" not (conyinuation or provision\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	6	(((((tetrahedron and interpolat\$4) and ((point or lattice) near3 ( edge or face))) and (read\$4 or access\$4) adj7 (point or lattice)) and (((tetrahedron and interpolat\$4) and ((look-up or lookup) adj2 table)) and (read\$4 or access\$4) adj7 (point or lattice))) not (@ad>"19990319" not (conyinuation or provision\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
72	17	((((tetrahedron and interpolat\$4) and ((point or lattice) near3 (line or plane))) and (read\$4 or access\$4) adj7 (point or lattice)) and (((tetrahedron and interpolat\$4) and ((look-up or lookup) adj2 table)) and (read\$4 or access\$4) adj7 (point or lattice)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	3955	(efficiency or speed) with interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	45	(tetrahedron and interpolat\$4) and ((efficiency or speed) with interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	23	((tetrahedron and interpolat\$4) and ((efficiency or speed) with interpolation)) and (((point or lattice) near3 (edge or face)) or ((point or lattice) near3 (line or plane)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	17	(((((tetrahedron and interpolat\$4) and ((point or lattice) near3 (line or plane))) and (read\$4 or access\$4) adj7 (point or lattice)) and (((tetrahedron and interpolat\$4) and ((look-up or lookup) adj2 table)) and (read\$4 or access\$4) adj7 (point or lattice))) not (@ad>"19990319" not (conyinuation or provision\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	30	frequency near2 vertex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	52	rate near2 vertex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	82	(frequency near2 vertex) or (rate near2 vertex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	2	((frequency near2 vertex) or (rate near2 vertex)) same interpolat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	1	((((point or lattice) near3 (edge or face)) or ((point or lattice) near3 (line or plane))) same ((frequency near2 vertex) or (rate near2 vertex)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	21	((((point or lattice) near3 (edge or face)) or ((point or lattice) near3 (line or plane))) and ((frequency near2 vertex) or (rate near2 vertex)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	64723	(color or colour) with (convert\$4 or map\$4 or transform\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	246	frequency near2 lattice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	329	rate near2 lattice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	8594	((look-up or lookup) adj2 table) near3 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	2	((color or colour) with (convert\$4 or map\$4 or transform\$4)) same ((frequency near2 vertex) or (rate near2 vertex) or (frequency near2 lattice) or (rate near2 lattice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	21	((color or colour) with (convert\$4 or map\$4 or transform\$4)) and ((frequency near2 vertex) or (rate near2 vertex) or (frequency near2 lattice) or (rate near2 lattice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
89	220	((((look-up or lookup) adj2 table) near3 (memory or storage)) and ((point or lattice) near3 ( edge or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	975	((((look-up or lookup) adj2 table) near3 (memory or storage)) and ((point or lattice) near3 (line or plane)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	11	(((((look-up or lookup) adj2 table) near3 (memory or storage)) and ((point or lattice) near3 ( edge or face)))) and ((efficiency or speed) with interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	52	(((((look-up or lookup) adj2 table) near3 (memory or storage)) and ((point or lattice) near3 (line or plane)))) and ((efficiency or speed) with interpolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	12	((tetrahedron and interpolat\$4) and (((((look-up or lookup) adj2 table) near3 (memory or storage)) and ((point or lattice) near3 (line or plane)))) and ((efficiency or speed) with interpolation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	N/A	((((point or lattice) near3 ( edge or face)) or ((point or lattice) near3 (line or plane)))) and us\$4 adj5 (two or three or "2" or "3") adj2 (vertex or lattice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	0	(((((look-up or lookup) adj2 table) near3 (memory or storage)) with (((point or lattice) near3 ( edge or face)) or ((point or lattice) near3 (line or plane)))) and (((look-up or lookup) adj2 table) near3 (memory or storage)) same ((efficiency or speed) with interpolation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	10	((((look-up or lookup) adj2 table) near3 (memory or storage)) with (((point or lattice) near3 ( edge or face)) or ((point or lattice) near3 (line or plane))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	21	((((look-up or lookup) adj2 table) near3 (memory or storage)) same ((efficiency or speed) with interpolation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	6771	triang\$6 and interpolat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	231	((tetrahedron and interpolat\$4) and (triang\$6 and interpolat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	100	((color or colour) with (convert\$4 or map\$4 or transform\$4)) and ((tetrahedron and interpolat\$4) and (triang\$6 and interpolat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	13	((((color or colour) with (convert\$4 or map\$4 or transform\$4)) and ((tetrahedron and interpolat\$4) and (triang\$6 and interpolat\$4))) and (((look-up or lookup) adj2 table) near3 (memory or storage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	2	("5666437").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	5	("3893166"   "4275413"   "4477833"   "4511989"   "5121196").PN.	USPAT
104	3	"5666437".URPN.	USPAT
105	4	((("3893166"   "4275413"   "4477833"   "4511989"   "5121196").PN.) or "5666437".URPN.) and (tetrahedron and interpolat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	157	interpolation and (jump or dispatch or vector) adj1 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
107	1	( interpolation and (jump or dispatch or vector) adj1 table) and tetrahedron same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	40	( interpolation and (jump or dispatch or vector) adj1 table) and (color or colour) with (convert\$4 or map\$4 or transform\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
109	3718234	@ad>"19990319" not (continuation or provision\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	39	(( interpolation and (jump or dispatch or vector) adj1 table) and (color or colour) with (convert\$4 or map\$4 or transform\$4)) not (@ad>"19990319" not (continuation or provision\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
111	4	((("5504821") or ("3893166")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
112	4108548	@ad>"19990319" not (continuation or provision\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	293844	@pd>"20030714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
114	133	tetrahedron same interpolation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
115	1	(tetrahedron same interpolation ) and @pd>"20030714" not (@ad>"19990319" not (continuation or provision\$2) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp
107	2003/07/15 09:12
108	2003/07/15 09:14
109	2003/10/14 17:04
110	2003/07/15 09:17
111	2003/10/14 17:02
112	2003/10/14 17:04
113	2003/10/14 17:05
114	2003/10/14 17:05
115	2003/10/14 17:05

*"Search in parent case"*